

04.05 Delta 2

Because first impressions count – Delta 2 shopping trolley shelter

- › *Trolley shelter with typical gabled roof with aluminium profiles*
- › *Rectangular aluminium tubes and profiles act as a guide and bumper*
- › *3 widths for 2, 3 or 4 rows of shopping trolleys*



DELTA 2
Shopping trolley shelter,
3 rows

A cutting-edge and eye-catching feature

The **stable aluminium profiles** available in six standard colours (or your store CI on request) become a key feature in any car park. Together with rectangular aluminium tubes and profiles, they form the supporting structure for this trolley shelter system.



Split side and roof elements

With ideal protection for your valuable shopping trolleys. Separate side and roof elements made of high quality polycarbonate hollow chamber, acrylic glass or plastic panels are easy to install. Wide range of design options, e.g. by combining different materials.

- Polycarbonate hollow chamber panels
- Acrylic glass panels
- Plastic panels, labelled



04.05 Delta 2

■ The **Delta 2 trolley shelter** stores your shopping trolleys in a neat and tidy solution. It can accommodate two, three or four rows of shopping trolleys. When combined with stainless steel row docking stations, it is the perfect solution for organised shopping and/or transport trolley storage. Good impressions turn customers into loyal customers.



DELTA 2
Extra wide shopping trolley shelter, 4 rows with row docking station




DELTA 2
Shopping trolley shelter, 2 rows with row docking station

Or welcome **protection from the elements** for staff on a cigarette break.



Protection and stability*

Rectangular aluminium tubes and profiles protect the shopping trolleys and trolley shelter. Feet with infinite height adjustment (40 - 110 mm) secure the shelter safely to the floor with heavy-duty anchors.



Interior lighting

The weatherproof design with 58 watt lights provides good illumination and improves safety at dusk.



Delta 2 – Rear panel

Perfectly sealed. Made from breakproof polycarbonate hollow chamber or acrylic glass panels.



Different trolleys

Storage for different shopping trolleys at stores with a wide range of trolleys or bespoke services, e.g. second trolleys.



* See foundations for trolley shelters

04.06 Delta 2 bicycle shelter

The convenient solution for cyclists

- > *Open bicycle shelter with gabled roof design and aluminium profiles*
- > *Four widths, with closed sides or semi-closed sides*
- > *Suitable cycle stands with space for up to 13 bikes*



DELTA 2 BICYCLE SHELTER
With standard cycle stands

Or welcome **protection** from the elements for staff on a cigarette break.



A cutting-edge and eye-catching feature

The **stable aluminium profiles** available in six standard colours (or your store CI on request) become a key feature in any car park. Together with rectangular aluminium tubes and profiles, they form the supporting structure for this trolley shelter system.



Split side and roof elements

Ideal protection for bicycles or bespoke shopping trolleys. Side and roof elements made from high quality polycarbonate hollow chamber, acrylic glass or plastic panels (for lettering). Wide range of design options, e.g. by combining different materials.

- Polycarbonate hollow chamber panels
- Acrylic glass panels
- Plastic panels, labelled



04.05 – 04.06 Delta 2 / Delta 2 bicycle shelter

Standard design

Trolley shelter: Aluminium profiles, rounded on the outside. Aluminium square tube with plastic profiles mounted on both sides function as a guide and bumper. Infinitely height adjustable feet compensate for uneven ground. Side and roof elements made from polycarbonate hollow chamber panels.



Sign for "shopping trolleys" or "bicycles"

Self-adhesive plastic film with icons.

Interior lighting

Weatherproof design with 58 watt lights.

Delta 2 rear panel, closed,

made from breakproof polycarbonate hollow chamber or acrylic glass panels.


Standard colours

Rapeseed Yellow	1021	
Blood Orange	2002	
Flame Red	3000	
Ultramarine Blue	5002	
Gentian Blue	5010	
Yellow Green	6018	



Advertising board

Weatherproof design with 58 watt lights.



Interchangeable folding frame

Aluminium design, with protection film.




Waste bin

Plastic or metal design.

Accessories for cycle stands


- ❶ Kappa cycle stands, hot galvanised, 2 units with 4 spaces each. Width of cycle stands: 4 spaces, 2200 mm
- ❷ Standard cycle stands, hot galvanised, 1 unit with 8 spaces and 1 unit with 5 spaces. Width of cycle stands: 8 spaces, 3000 mm, 5 spaces, 1750 mm



Dimensions


→ Delta 2

Shopping trolley shelter in 2, 3 or 4-row design



→ Delta 2 bicycle shelter

Open box, side panels with bicycle symbols, half or fully closed


























- ❶ Aluminium rectangular tube 40 x 20 mm
- ❷ Aluminium profile 100 x 60 mm
- ❸ Height adjustable feet, 40 - 110 mm

- ❹ Polycarbonate hollow chamber panels, 6 mm, optional acrylic glass panel, 5 mm, or plastic panels, 6 mm
- ❺ Rounded aluminium profile 65 x 43 mm

- ❻ Protection profiles made from rectangular aluminium tubes with plastic profiles that act as a guide and bumper
- ❼ Polycarbonate hollow chamber panels,

- 6 mm, acrylic glass panels, 5 mm or plastic panels, 6 mm, with bicycle icon, half-closed or
- ❽ Closed

04.05 – 04.06 Delta 2 order section

Delta 2 trolley shelters		2 rows	3 rows	4 rows
Length		Order no.	Order no.	Order no.
2 m, 3 arches with polycarbonate hollow chamber panels				
	2 m, 3 arches with acrylic glass panels	03.34142.45/73-0000* 03.41133.45/73-0000*	03.33920.45/73-0000* 03.49833.45/73-0000*	03.33990.45/73-0000* 03.07233.45/73-0000*
3 m, 4 arches with polycarbonate hollow chamber panels				
	3 m, 4 arches with acrylic glass panels	03.34140.45/73-0000* 03.03504.45/73-0000*	03.33923.45/73-0000* 03.38081.45/73-0000*	03.33991.45/73-0000* 03.27912.45/73-0000*
4 m, 5 arches with polycarbonate hollow chamber panels				
	4 m, 5 arches with acrylic glass panels	03.34138.45/73-0000* 03.34139.45/73-0000*	03.33924.45/73-0000* 03.35256.45/73-0000*	03.33992.45/73-0000* 03.15934.45/73-0000*
5 m, 6 arches with polycarbonate hollow chamber panels				
	5 m, 6 arches with acrylic glass panels	03.34137.45/73-0000* 03.49155.45/73-0000*	03.33834.45/73-0000* 03.05001.45/73-0000*	03.33994.45/73-0000* 03.36499.45/73-0000*
Rear panels				
	1/1 rear panel, complete, polycarbonate hollow chamber panels	03.09456.07-0000	03.05085.07-0000	03.05311.07-0000
	1/1 rear panel, complete, acrylic glass panels, transparent	03.40115.07-0000	03.36725.07-0000	03.36612.07-0000
Row docking stations				
	Row docking station, without information panel	03.60200.09-0000	03.60300.09-0000	03.60400.09-0000
	Row docking station, with one information panel	03.60201.09-0000	03.60301.09-0000	03.60401.09-0000
	Row docking station with two or three information panels	On request	On request	On request
Row docking key				
	For coin deposit systems: Wanzl Starbox, Wanzl Box Classic	01.22261.95-0000	01.22261.95-0000	01.22261.95-0000
	For coin deposit system: Wanzl Promobox Plus	01.22262.95-0000	01.22262.95-0000	01.22262.95-0000
	For coin deposit system: Wanzl-Sidebox	01.50286.95-0000	01.50286.95-0000	01.50286.95-0000
Delta 2 trolley shelters		2 rows	3 rows	4 rows
Information panels with instructions for use, 450 x 300 mm				
	Wanzl Starbox coin deposit system	00.99057.07-0000	00.99057.07-0000	00.99057.07-0000
	Wanzl Box Classic coin deposit system	00.99058.07-0000	00.99058.07-0000	00.99058.07-0000
	Wanzl Promobox Plus coin deposit system	77.26877.07-0000	77.26877.07-0000	77.26877.07-0000

* Sample orders:
 03.34140.45-0000 Anodized aluminium
 03.34140.73-2002 Plastic powder coating, Blood Orange RAL 2002

04.05 – 04.06 Delta 2 order section

Delta 2 trolley shelters		2 rows	3 rows	4 rows
Information panels with instructions for use, 450 x 300 mm				
	Wanzl Sidebox coin deposit system	77.76286.07-0000	77.76286.07-0000	77.76286.07-0000
	Information panel, unprinted	00.39801.07-0000	00.39801.07-0000	00.39801.07-0000

Delta 2 bicycle shelters	Half closed sides	Fully-closed sides
Width	Order no.	Order no.
2 m, 3 arches with polycarbonate hollow chamber panels	03.11640.45/73-0000*	03.11639.45/73-0000*
2 m, 3 arches with acrylic glass panels	03.05312.45/73-0000*	On request
3 m, 4 arches with polycarbonate hollow chamber panels	03.11642.45/73-0000*	03.11641.45/73-0000*
3 m, 4 arches with acrylic glass panels	03.46330.45/73-0000*	03.24522.45/73-0000*
4 m, 5 arches with polycarbonate hollow chamber panels	03.11644.45/73-0000*	03.11643.45/73-0000*
4 m, 5 arches with acrylic glass panels	03.29155.45/73-0000*	On request
5 m, 6 arches with polycarbonate hollow chamber panels	03.00791.45/73-0000*	03.11645.45/73-0000*
5 m, 6 arches with acrylic glass panels	03.20679.45/73-0000*	03.43392.45/73-0000*

Equipment for customer service		
	Service trolley shelters and guide bar for service shopping trolleys	See Classic trolley parks
	Kappa cycle stands for 4 bikes, 2200 mm wide	03.41585.55-0000
	Standard cycle stands** for 5 bikes, 1750 mm wide	03.21311.55-0000
	Standard cycle stands** for 8 bikes, 3000 mm wide	03.21312.55-0000

Accessories for Delta 2 trolley shelters and bicycle shelters		
	Weatherproof interior lighting, 58 watts	03.83750.07-0000
	Plastic waste bin, Yellow Green, incl. fixing material, 430 x 240 x 600 mm	03.69035.07-6018
	Metal waste bin, hot galvanised, incl. fixing material, 430 x 240 x 600 mm	03.93270.55-0000
	Interchangeable folding frame, aluminium, 850 x 1170 mm.	03.14013.95-0000
	Individual advertising board incl. fixing material	On request

* Standard cycle stands required:
 Delta 2 bicycle shelter, 2 m wide: 1 unit 1750 mm wide
 Delta 2 bicycle shelter, 3 m wide: 1 unit 3000 mm wide
 Delta 2 bicycle shelter, 4 m wide: 2 units 1750 mm wide
 Delta 2 bicycle shelter, 5 m wide: 1 unit x 1750 mm wide, 1 unit x 3000 mm wide

04.07 Delta 2 for multi-storey car parks

Trolley shelter with outstanding resistance to all types of weather

- › Used in multi-storey car parks with 8 to 20 m high floors
- › Secure assembly on strip foundations or full base or for direct installation*
- › 2 widths for 2 or 3 rows of shopping trolleys



DELTA 2
Shopping trolley shelter for multi-storey car parks, 2 rows, on strip foundations

A cutting-edge and eye-catching feature

The **stable aluminium profiles** available in six standard colours (or your store CI on request) become a key feature in any multi-storey car park. Together with rectangular aluminium tubes and profiles, they form the supporting structure for this trolley shelter system.



Split side and roof elements

With ideal protection for your valuable shopping trolleys. Separate side and roof elements made of high quality polycarbonate hollow chamber, acrylic glass or plastic panels are easy to install. Wide range of design options, e.g. by combining different materials.

Polycarbonate hollow chamber, acrylic glass or plastic panels



* Direct installation on the car park floor only possible following liaison with the builder

04.07 Delta 2 for multi-storey car parks

■ The **Delta 2 trolley shelter for multi-storey car parks** – customer friendly and hygienic storage for your shopping trolleys in multi-storey car parks. A stable and weatherproof structure based on a full foundation or strip foundations so that you no longer need to drill* into the car park floor



DELTA 2
Shopping trolley shelter for multi-storey car parks, 3 rows, on full base foundation

Or welcome **protection from the elements** for staff on a cigarette break.



Full base foundations

Solid base structure that covers the entire area of the trolley shelter with a convenient entry ramp for collecting shopping trolleys.



Strip foundations

Solid concrete foundations in the form of a strip foundation, 2 sides or U-shaped. For the level storage of shopping trolleys.




Row docking station

Rust free version with row docking key available for the coin deposit system in question. Plastic information panels printed with icons for instruction.



Complete protection


Anti-skid protection profiles on the rectangular aluminium tubes protect the Delta 2 trolley shelter for multi-storey car parks and shopping trolleys against damage.



04.07 Delta 2 for multi-storey car parks: design, accessories, dimensions



Interior lighting
Weatherproof design with 58 watt lights.



Interchangeable folding frame
Aluminium design, with protection film.




Waste bin
Sturdy plastic design, Yellow Green, or metallic hot galvanised design




"Shopping trolleys" sign
Self-adhesive plastic film with icons.


Foundation options



Full base foundations




Strip foundations, 2 sides




Strip foundations, U-shaped

Dimensions























Delta 2 for multi-storey car parks
Shopping trolley shelters with 2 or 3 rows, on full base foundations or strip foundations (bottom right).



- 1 Aluminium rectangular tube 40 x 20 mm
- 2 Aluminium profile 100 x 60 mm
- 3 Polycarbonate hollow chamber panels, 6 mm
- 4 Rounded aluminium profile, 65 x 43 mm
- 5 Full base foundations (C25/30) with reinforcement
- 6 Entry ramp for full base foundations
- 7 Strip foundations, 2 sides (C25/30) with reinforcement
- 7 + 8 Strip foundations, U-shaped (C25/30) with reinforcement



04.07 Delta 2 for multi-storey car parks: order section

Delta 2 trolley shelters for multi-storey car parks	For full base foundation		For strip foundation	
	2 rows	3 rows	2 rows	3 rows
	Order no.	Order no.	Order no.	Order no.
4 m, 9 arches with polycarbonate hollow chamber panels	 03.25200.45/73-0000*	 03.25991.45/73-0000*	 03.25539.45/73-0000*	 On request
5 m, 11 arches	 03.25201.45/73-0000*	 03.33561.45/73-0000*	 03.25540.45/73-0000*	 03.27911.45/73-0000*
Row docking stations				
 Row docking station, without information panel	On request	On request	On request	On request
 Row docking station, with one information panel	On request	On request	On request	On request
 Row docking station with two or three information panels	On request	On request	On request	On request
Row docking key				
 For coin deposit systems: Wanzl Starbox, Wanzl Box Classic	01.22261.95-0000	01.22261.95-0000	01.22261.95-0000	01.22261.95-0000
 For coin deposit system: Wanzl Promobox Plus	01.22262.95-0000	01.22262.95-0000	01.22262.95-0000	01.22262.95-0000
 For coin deposit system: Wanzl Sidebox	01.50286.95-0000	01.50286.95-0000	01.50286.95-0000	01.50286.95-0000
Information panels with instructions for use, 450 x 300 mm				
 Wanzl Starbox coin deposit system	00.99057.07-0000	00.99057.07-0000	00.99057.07-0000	00.99057.07-0000
 Wanzl Box Classic coin deposit system	00.99058.07-0000	00.99058.07-0000	00.99058.07-0000	00.99058.07-0000
 Wanzl Promobox Plus coin deposit system	77.26877.07-0000	77.26877.07-0000	77.26877.07-0000	77.26877.07-0000
 Wanzl Sidebox coin deposit system	77.76286.07-0000	77.76286.07-0000	77.76286.07-0000	77.76286.07-0000
 Information panel, unprinted	00.39801.07-0000	00.39801.07-0000	00.39801.07-0000	00.39801.07-0000
Accessories				
 Weatherproof interior lighting, 58 watts	On request	On request	On request	On request
 Plastic waste bin, Yellow Green, incl. fixing material, 430 x 240 x 600 mm	03.69035.07-6018	03.69035.07-6018	03.69035.07-6018	03.69035.07-6018
 Metal waste bin, hot galvanised, incl. fixing material, 430 x 240 x 600 mm	03.93270.55-0000	03.93270.55-0000	03.93270.55-0000	03.93270.55-0000

* Sample orders:
 03.25200.45-0000 Anodized aluminium
 03.34140.73-2002 Plastic powder coating, Blood Orange RAL 2002

04.08 Delta 3

Tidy storage – Delta 3 shopping trolley shelter

- › *Trolley shelter with typical gabled roof with aluminium profiles*
- › *Rectangular aluminium tubes and profiles act as a guide and bumper*
- › *Wide enough to hold 3 rows of shopping trolleys*



DELTA 3
Shopping trolley shelter

A cutting-edge and eye-catching feature

The **stable aluminium profiles** available in six optional colours (or your store CI on request) become a key feature in any car park. Together with rectangular aluminium tubes and profiles, they form the supporting structure for this trolley shelter system.



Side and roof elements

With ideal protection for your valuable shopping trolleys. The single piece side and roof elements made of high quality polycarbonate hollow chamber or acrylic glass panels are easy to mount.

Polycarbonate hollow chamber or acrylic glass panels
Labelled plastic panels available on request



04.08 Delta 3

■ Trolley shelters are an easy way to keep your car park tidy. The **Delta 3 trolley shelter** can hold three rows of trolleys. When combined with stainless steel row docking stations, it is the perfect solution for organised shopping and/or transport trolley storage.



DELTA 3
Shopping trolley
shelter

Or welcome **protection**
from the elements for
staff on a cigarette
break.



Protection and stability

Rectangular aluminium tubes and profiles protect the shopping trolleys and trolley shelter. Feet with infinite height adjustment make sure the shelter is secured safely and flexibly to the floor with heavy duty anchors. Height can be adjusted between 40 and 110 mm.



Row docking station

Rust free version with row docking key available for the coin deposit system in question. Storage for different shopping trolleys at stores with a wide range of trolleys or special services. With plastic information panels printed with instruction icons on request.



04.08 Delta 3: design, accessories, dimensions

Standard design

Trolley shelter: Aluminium profiles, rounded on the outside. Aluminium square tubes mounted on both sides function as a guide and a bumper for shopping trolleys. Infinitely height-adjustable feet compensate for uneven ground. Side and roof elements made from polycarbonate hollow chamber panels or transparent acrylic glass panels.



Sign for "shopping trolleys" or "bicycles"

Self-adhesive plastic film with icons.

Rear panel, closed, made from breakproof polycarbonate hollow chamber or acrylic glass panels.




Interior lighting

Weatherproof design with 58 watt lights.



Waste bin

Sturdy plastic or metal design.



Interchangeable folding frame

Aluminium design, with protection film.

Standard colours

Rapeseed Yellow	RAL 1021	
Blood Orange	RAL 2002	
Flame Red	RAL 3000	
Ultramarine Blue	RAL 5002	
Gentian Blue	RAL 5010	
Yellow Green	RAL 6018	



Coloured aluminium profile

One colour or multiple colours in six optional colours or to suit your store's CI.



Advertising board

On top sign, stable plastic design, printed to meet your requirements.



Advertising rear panel


Advert for individual lettering on both sides. Can be replaced from the outside.

Dimensions

Delta 3

Shopping trolley shelter with 3 rows.

- ❶ Aluminium rectangular tube 40 x 20 mm
- ❷ Aluminium profile 100 x 60 mm
- ❸ Height adjustable feet from 40 to 110 mm
- ❹ Polycarbonate hollow chamber panels, 6 mm, or acrylic glass panels, 5 mm
- ❺ Rounded aluminium profile 65 x 43 mm



04.08 Delta 3 order section

Delta 3 trolley shelters		3 rows
Length/roof and side walls		Order no.
2 m, 3 arches/polycarbonate hollow chamber panels		03.02630.45/73-0000*
		03.02740.45/73-0000*
3 m, 4 arches/polycarbonate hollow chamber panels		03.02620.45/73-0000*
		03.02730.45/73-0000*
4 m, 5 arches/polycarbonate hollow chamber panels		03.02610.45/73-0000*
		03.02720.45/73-0000*
5 m, 6 arches/polycarbonate hollow chamber panels		03.02600.45/73-0000*
		03.02713.45/73-0000*
Rear panels		
	1/1 rear panel, complete, polycarbonate hollow chamber panels	03.07798.07-0000
	1/1 rear panel, complete, acrylic glass panels, transparent	03.08363.07-0000
Row docking stations		
	Row docking station, without information panel	03.56275.09-0000
	Row docking station, with one information panel	03.56276.09-0000
	Row docking station with two or three information panels	On request
Row docking key		
	For coin deposit systems: Wanzl Starbox, Wanzl Box Classic	01.22261.95-0000
	For coin deposit system: Wanzl Promobox Plus	01.22262.95-0000
	For coin deposit system: Wanzl Sidebox	01.50286.95-0000

* Sample orders:
 03.02630.45-0000 Natural anodized aluminium profiles
 03.02630.73-5010 Plastic powder coating, colours: Gentian Blue RAL 5010

Delta 3 trolley shelters		3 rows
Information panels with instructions for use, 450 x 300 mm		
	Wanzl Starbox coin deposit system	00.99057.07-0000
	Wanzl Box Classic coin deposit system	00.99058.07-0000
	Wanzl Promobox Plus coin deposit system	77.26877.07-0000
	Wanzl Sidebox coin deposit system	77.76286.07-0000
	Information panel, unprinted	00.39801.07-0000
Accessories		
	Interior lighting for trolley shelters, 3-5 m, weather-proof, 58 watts	03.13787.07-0000
	Plastic waste bin, Yellow Green, incl. fixing material, 430 x 240 x 600 mm	03.69035.07-6018
	Metal waste bin, hot galvanised, incl. fixing material, 430 x 240 x 600 mm	03.93270.55-0000
	Interchangeable folding frame, aluminium, 850 x 1170 mm.	03.14013.95-0000
	Individual advertising board incl. fixing material	On request
	Advertising rear panel, 1100 x 2360 mm Lettering on request	On request